



**Building Design Criteria Request
Shasta County
Department of Resource Management
Building Division**

1855 Placer Street, Suite 102 Redding, CA 96001-1759
(530) 225-5761 * Fax (530) 245-6468

01/2014

Page 1 of 1

(2013 CBC CRC – Permit applications submitted on or after January 1, 2014)

Please complete Part 1 and return via fax (530-245-6468), bring into the office, or email: resourcemanagement@co.shasta.ca.us

PART 1:

Name: _____ Date: _____

Project Description: _____

Type of Construction and Occupancy Proposed: _____

Fax# or Email Address: _____ Phone: _____

Requesting design information on Assessor’s Parcel Number: _____

Additional Information: _____

PART 2: The information below will be provided by Shasta County.

Codes in effect: 2013 California Codes

1) Wildland Urban Interface (check one): _____ SRA _____ High _____ VERY HIGH
_____ LRA _____ N/A

2) Snow Load: _____ Flat Roof (P_f ASCE 7-05 7.3)

3) Wind: **Residential:** 85 mph 3 second gust Exposure C (B with site-specific analysis)
Commercial: _____

4) Seismic Design Category (SDC): It is Site Specific – With the Longitude and Latitude the S_d_s can be determined based Site Class D by downloading the application at <http://earthquake.usgs.gov/hazards/designmaps/javacalc.php>

Generally: CBC SDC “D” and CRC – SDC D₁. (For the area: Big Bend north going East to Dana and north of the intersection of HWY 89 and HWY 299 use CRC SDC D₂.)

5) Soil Design Category: Class 5 - 1500 PSF (default without soils report). Unless an alternate approval is requested in writing and approved, a soils report is required

6) Zoning: _____

7) General Plan: _____

8) Additional Comments: _____

Completed by: _____ Date: _____